



Kelly Tolhurst MP

Department for Business, Energy & Industrial Strategy
1 Victoria Street
London
SW1H 0ET

T +44 (0) 20 7215 5000

E enquiries@beis.gov.uk

W www.gov.uk

Alison Mutch OBE HM Senior Coroner Coroner's Court 1 Mount Tabor Street Stockport SK1 3AG

November 2018

Roor Mrs muten

Thank you for your letter and Regulation 28 Report to Prevent Future Deaths, dated 28 September 2018, following your investigation and inquest into the death of Mr Donald Peter Berry on 23 August 2016, who died due to injuries and subsequent ongoing health complications from an accidental electrocution by a high voltage power line whilst working at the Kendal Calling Festival. I am responding as the Minister responsible for Product Safety Policy.

I would first like to say how sorry I was to hear about this grievous incident. If you have the opportunity, please convey my deepest sympathies to Mr Berry's family.

I note that in your report you identify that the organisers of the event did not properly consider the health and safety risk of high voltage electrical installation at the place of the event. This is not an issue relating to the safety of an electrical appliance, which would fall within my Department's remit. As this is a health and safety at work issue, it falls within the remit of the Health and Safety Executive (HSE), who are sponsored by the Department for Work and Pensions. I note you have sent this notice to the Acting Chief Executive of the HSE. My officials have contacted the Principal Inspector at the Health and Safety Executive (HSE) to inform him of your letter.

I understand that the Principal Inspector will be responding shortly. If you would like to get in contact with him directly, his details are as follows:

HM Principal Inspector of Health and Safety

Entertainment, Leisure, Commercial and Consumer Sector Health and Safety Executive 19 Ridgeway 9 Quinton Business Park Quinton BIRMINGHAM B32 1AL

Tel: 0203 028 1713

Yours sincerely

KELLY TOLHURST MP
Minister for Small Business, Consumers & Corporate Responsibility